
Introduction of an Intrapartum Early Warning Tool

Initiative Type

Toolkit

Status

Close

Added

08 August 2017

Last updated

11 June 2020

URL

<https://cnxp3cuvtvrn68yjaibaht5ywrxspj7m.clinicalexcellence.qld.gov.au/improvement-exchange/intrapartum>

Summary

The The Birthing Early Warning Tool (BEWT) tool involved bringing together all intrapartum maternal and fetal observations and clinical measurements onto one form including parameters which had been adjusted for intrapartum physiological changes. It included colour coded zones for observations and measurements that fell outside of the acceptable limits, with clear directions for escalation and

action.

Key dates

Jun 2016

Jul 2017

Implementation sites

Rockhampton Maternity Unit

Key Contacts

Sue Foyle

0037

paul.blee.hiu

Director of Nursing and Midwifery, Rockhampton Hospital

Central Queensland Hospital and Health Service

(07) 3867 6209

Susan.Foyle@health.qld.gov.au

Aim

To improve access to clinical information.

Benefits

Assists with a rapid assessment of the situation, as well as a better standard of communication when issues are escalated to them.

Background

The BEWT tool was designed and implemented at Rockhampton Hospital maternity unit in 2016 following a number of serious clinical incidents, all of which identified issues in recognition and responding to the deterioration clinical situation.

Evaluation and Results

Clinical audit had demonstrated a significant reduction in clinical incidents related to recognition and response to the deteriorating patient and a marked improvement in the standard of documentation regarding escalation, particularly in the use of ISBAR in communicating concerns.

PDF saved 14/03/2025